



a web-based venue for live performance

User Manual for UpStage V2.01

Updated 20 May 2008



Contents

1	Introduction.....	1
1.1	Background.....	1
1.2	Project Team	2
1.3	Glossary	3
2	Audience	5
2.1	Getting to the stage.....	5
2.2	Audience Chat	5
3	Players	6
3.1	Logging in	6
3.2	The Workshop: administration interface.....	7
3.2.1	Creating and Managing Players.....	8
3.2.2	Creating and Managing Stages.....	8
3.2.3	Uploading and Managing Avatars	11
3.2.4	Uploading and Managing Props.....	12
3.2.5	Uploading and Managing Backdrops.....	13
3.2.6	Uploading and Managing Audio	13
3.3	On Stage	14
3.4	Holding and Moving an Avatar.....	15
3.4.1	Tools.....	15
3.4.2	Operating Multi-frame or Animated Avatars.....	16
3.4.3	Changing Your Avatar's Name.....	17
3.4.4	Web cam avatars	17
3.5	Holding and Placing Props	17
3.6	Changing Backdrops	18
3.7	Speech and Text Chat.....	19
3.7.1	Avatar Voices	19
3.7.2	Saving the log	19
3.8	Whispering.....	20
3.9	/ Commands	21
3.10	Drawing	22
3.11	Audio	23
4	Graphics Recommendations	24
4.1	General comments.....	24
4.2	Creating .pngs.....	24
4.3	Creating .swfs	24
4.4	Animated Avatars and Props	25
4.5	Backdrops.....	26
4.6	File Sizes	27
4.7	Deleting Graphics.....	28
4.8	On-stage Links.....	28
5	Technical	29
5.1	Client Hardware & Software Requirements.....	29
5.1.1	Hardware	29
5.1.2	Software.....	29
5.2	Firewalls	30
5.3	Downloading and Installing the Server Software	30
5.3.1	Customising UpStage.....	30
5.4	Web cams.....	31
5.4.1	Recommended Web Cam FTP Software	31

5.4.2	Recommended Software for Windows Operating Systems	31
5.4.3	Recommended Software for Macintosh.....	32
5.4.4	Recommended Software for Linux	32
5.4.5	Web Cam FTP Configuration	32
5.5	Speech	33
5.5.1	Voices currently available on UpStage	33
5.5.2	Adding more voices	34
5.6	Troubleshooting	36
5.6.1	Browser Problems	36
5.6.2	Stage Won't Load.....	36
5.6.3	Fonts look bad.....	36
5.6.4	Linux Fonts	37
5.6.5	Other problems.....	37

UpStage is open source software and it is constantly in development, as is this manual, which has been written and is maintained by Helen Varley Jamieson. This work is licensed under the Creative Commons Attribution-Noncommercial-Share Alike 3.0 New Zealand License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/nz/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.



Contributions to and feedback about the manual and the software are welcome – please email info@upstage.org.nz.

Version Control:

June 28 2007	UpStage Version 2 User Manual
July 22 2007	V2 manual updated to include information about layering avatars, on-stage links and audio.
Nov 2007	Updated to include more information about voices and adding in the students' work – audio function, scrolling for backdrop and prop galleries, avatar layer adjustments, hyperlinks in the text chat.
May 2008	V2.01 – updated to include the new features of V2.01

1 Introduction

1.1 Background

UpStage is a web-based venue for the real-time compilation of digital media into live performance, by multiple remote players for an online audience. People anywhere in the world can participate in live performance events by using standard browser software to access UpStage, without having to download and install additional software and without needing to know anything other than a web address.

The concept for UpStage was developed by Avatar Body *Collision*¹, a globally dispersed cyberformance² troupe whose members have been experimenting with online theatrical performance since 1999, and together as Avatar Body *Collision* since 2002. UpStage was born from the desire to reach a wider audience and to make it easier for audiences and performers alike to participate in live performance via the internet.

The software combines the different elements of cyberformance - graphical avatars, web cams, audio, images, text chat (and who knows what else in the future) - into a single interface. The audience simply directs their browser to the web address at the appointed time, to watch and participate in the cyberformance.



UpStage is open source and free to download. It is available under dual licensing: a Creative Commons Attribution-NonCommercial-ShareAlike 2.5 License and GNU General Public Licence (GPL).

The initial development of UpStage was funded in 2003 through the Smash Palace Collaboration Fund, a joint initiative of Creative New Zealand and the NZ Ministry of Science, Research and Technology. In 2006, the UpStage project received funding from the Community Partnerships Fund of the New Zealand government's Digital Strategy to develop UpStage version 2. UpStage V2 has also been supported by partners CityLink, MediaLab and Auckland University of Technology.

This manual provides general instructions for using UpStage; it is divided into 5 sections:

- Introduction
- Audience
- Player
- Graphics
- Technical (including server installation).

For further information and updates, please visit www.upstage.org.nz.

¹ www.avatarbodycollision.org

² Cyberformance uses internet technologies to bring remote performers together in live theatrical events; www.cyberformance.org.

1.2 Project Team

The UpStage project was initiated and driven by Avatar Body *Collision*, who are Vicki Smith, Leena Saarinen, Karla Ptacek and Helen Varley Jamieson. For more information about the Colliders, please visit www.avatarbodycollision.org.

The UpStage application was written by Douglas Bagnall, who has a background in open source development of online projects, and is also a digital artist. His artistic work includes the development of a film-making robot and a cloud-classifier; visit <http://halo.gen.nz/>.

Since December 2004, the UpStage server has been generously hosted by Citylink, www.citylink.co.nz/; MediaLab has supported the project since its inception in 2003 (www.medialab.co.nz/).

Thanks to Anne Philpott, we have established a relationship with Auckland University of Technology (www.aut.ac.nz/), which has seen final year software development students working on UpStage as their major project.

The AUT UpStage teams to date are:

- 2006: Beau Hardy, Francis Palmer, Lucy Chu and Wise Wang
- 2007: Endre Bernhardt, Lauren Kilduff, and Philip Quinlan
- 2007-08: Alan Crow and Tony Wong
- 2008: Aaron Barnett

Many other people have contributed to the development of UpStage through encouragement, advice, testing, feedback, and simply believing that it was possible. The project team thanks every one of you.

If you are interested in being a part of the development of UpStage, you can join the developer list, <https://lists.sourceforge.net/lists/listinfo/upstage-list>.

If you would like to be kept informed about events in UpStage, you can join the announcements list: <https://lists.sourceforge.net/lists/listinfo/upstage-announce>.

1.3 Glossary

Here are definitions for some of the terms that are used in this manual.

Audience: people present online at a performance, but not logged in. The audience can participate via the text chat, but do not have access to the same tools as the players.

Avatar: a graphical icon that can be held and moved around the stage by a player, and that can speak.

Backdrop: a graphic which fills the stage behind any avatars and props that are placed on it. A backdrop can also extend behind the text chat.

Chatters: the online audience are often referred to as “chatters”, as they contribute to the performance via a text chat function.

Cyberformance: live online performance where remote players and/or audience use internet technologies to come together in real time.

Drawing: functionality that allows real time drawing directly onto the stage.

Foyer: the home page of an UpStage server – where the audience can come to see what's on, and where players can log in.

Mirror: the square on a stage that shows a Player which avatar they are currently holding.

Palette: e.g. "drawing palette" or "audio palette" – a set of tools for a particular function.

Player: a logged-in participant in a performance. Players have access to on-stage tools which allow them to manipulate avatars, backdrops and props.

Prop: a graphic which can be held by an avatar or placed on the stage.

Splash screen: a sort of "curtain" that appears over the stage while it loads; the splash screen has a bar to indicate how far through loading the stage is, as well as a welcome message which you can edit and the name of the stage.

Stage: a dynamic web page where you can place and move avatars, props and backdrops to create a performance.

Stage tools: tools visible on the stage to logged-in players (but not visible to the audience) that enable the players to manipulate media on the stage in real time.

Text chat: an input field and text chat window, where avatars' speech and audience text appears and is visible to everyone; the text chat window can be scrolled up and down to read text that has been entered previously.

Tools: the buttons, sliders and icons that allow logged-in players to manipulate media.

Wardrobe: the interface through which players can select avatars on a stage; an alphabeticised and scrollable list of the icons and names of the avatars assigned to that particular stage.

Whispering: silent text communication between logged-in players that is not visible to the audience.

Workshop: the “back stage” interface where logged-in Players can upload graphics, view existing graphics, create and manage stages and manage players.

2 Audience

Audience members enter UpStage by following a web link from an email or another web page, and participate in the performance via the text chat. Audience members do not need to download or install any additional software as long as they have a browser with the Flash player plug-in. Audience members do not log in, and therefore do not have access to the same on-stage tools as Players do.

2.1 Getting to the stage

Audience members may have clicked on a link to the stage in an email or on a web page. Or they may have selected the stage from a list of available stages at the UpStage foyer.

A splash screen covers the stage while it loads, preventing the audience from interacting until the stage is fully loaded. Once the stage has loaded, the audience will see any graphics that have already been placed on the stage, they will see and hear the performance, and they will be able to participate in the text chat.



2.2 Audience Chat

Audience members are also known as “chatters”, because they can interact with the performance by typing into the text input field at the bottom right of the screen. This text appears in the text chat window, amongst the Players’ text. Player text is slightly darker and larger than audience text, and identified with the avatar’s name. Audience text is grey, silent and anonymous.

3 Players

Players log in to UpStage to create and present performances. They do not need anything other than a browser with the Flash player plugin to do this. Once logged in, they have access to the Workshop area where they can upload and manage the media to be used on stage, and to the on-stage tools that enable them to manipulate media for a performance.

3.1 Logging in

Once a player has been given a username and password, they can log in to UpStage from the foyer. The foyer is the default home page for an UpStage server; it is an HTML page and can therefore be easily customised with your own information and direct links to stages for the audience (if you install UpStage on your own server).



3.2 The Workshop: administration interface

Once you have logged in to UpStage, you arrive at the Workshop, from where you can either proceed directly to the Stages to rehearse or perform, or choose from a range of administrative options. These options allow you to upload and manage Stages, Players, Avatars, Props and Backdrops.



The Workshop screen is an HTML page and can therefore be updated by an UpStage administrator to include direct links to the stages you are currently working on and notices for other players using this UpStage server.

3.2.1 Creating and Managing Players

This is where you can set up the log-in and permissions for a new player, or change those for an existing player (you must be a superuser to add new players).

Add a new player

Create a log-in for a new player, and set their permissions:

- Act: this gives access to the on-stage player tools, but not to the Workshop interface.
- Administer: this gives access to the on-stage player tools and the Workshop interface.
- Add or Remove Players: this is the superuser, who can do pretty much anything.

The status of the player also regulates the uploadable file size:

- Act: no access to Workshop.
- Admin: 1 MB
- Superuser: 2 MB

A screenshot of a web browser window showing a form titled "Adding a player". The form has a header "Pick a username and password" and three input fields: "Username", "Password", and "Password again". Below these is a section titled "Player permissions" with the heading "This player can:". There are three checkboxes: "Act (you must first)" which is checked, "Administer (Change stages, avatars etc)", and "Add or Remove Players (including you!)". At the bottom of the form is an "OK" button. The browser's address bar shows "http://lupstage.org.nz".

However files of this size would not normally be necessary; the larger the files, the longer a stage will take to load. Please refer to the Graphics section for further information about file sizes.

Manage players

If you are a superuser, you can:

- change a player's log-in, name and permissions;
- delete players.

From the Workshop, click on the link "Manage Players" and select the Player you wish to manage from the list of Players.

3.2.2 Creating and Managing Stages

Set up a new Stage

To create a new stage, click on the link "Set up a new stage" and give your stage a name. This name will appear in the list of existing stages. It won't be accessible to audience members until you make it public in some way (for example, create a link to it from the

Foyer, put it on your own web site or email the URL to your target audience), but it will be visible to logged-in players and can be accessed for rehearsals or closed performances.

The URL for a stage is `http://yourserverURL/stages/stagename` – for example, `http://upstage.org.nz:8084/stages/swaray`. You can create a link directly to a stage from the Foyer or from another web site by editing the HTML just as you would create a link to a web page.

Manage Stages:

This is where you can:

- assign and unassign avatars, props and backdrops for an existing stage;
- edit the splash screen message for a stage;
- rename the stage;
- reset the stage;
- delete unwanted stages.

From the Workshop, click on the link “Manage an existing stage”; you will see a list of stages, and if any players or audience are on a stage it will be shown here. You should not edit a stage while there are people on it as they will all be thrown off. Select the stage you wish to manage from the list of stages by clicking on its name.

The Stage edit screen shows a list of all the users who have uploaded media. Select which users' media you want to see and click on the "Display Media" button. Then click on the name of the user to see the media that that user has uploaded. Use the check box to select the media you want to assign to the stage, then click "Save changes". The screen will refresh, telling you that the stage has been updated and showing the items that you have selected as checked. Once you have assigned avatars, backdrops and props to a stage, they will appear in the Wardrobe and Image Gallery of that stage (see Section 3.3).

From this screen you can also edit the splash screen message that will appear while the stage is loading, such as the title of your performance and who it's by. You can also change the name of the stage if you need to,



At the bottom of the stage edit screen, you can reset the stage. This clears all the text from the text chat window and returns the stage to its default state; note that it does NOT unassign the media that has been assigned to the stage. If you need to reset the stage during a rehearsal for some reason, remember to warn everyone that you are doing this, as they will be "thrown off" the stage. The stage will automatically reload but it can be disconcerting if you aren't expecting it and is definitely not a good idea in a performance (unless you want that effect!).

Currently UpStage can't create a thumbnail from a .swf file, so you will notice that images uploaded as .swfs have a question mark graphic as a placeholder. To see one of these images, click on its name to go to the edit screen.

3.2.3 Uploading and Managing Avatars

In the Avatar section of the Workshop, you can upload new avatar images and video streams, delete unwanted avatars, listen to available voices and change an avatar's voice.

Uploading a new avatar

Avatars can be still images in .jpg, .png or .swf format, multi-frame avatars, animated .swf files, or motion jpegs from a web cam. A single avatar can be composed of all .png files, or all .jpg files, or a single (possibly animated) .swf file. Multi-frame avatars can have a maximum of 10 frames (images), all of which must be the same format (either .png or .jpg). There are a number of tricks that will help to achieve the best avatars - see Section 4 for tips on creating graphics for UpStage.

Once you have created your avatar in a graphics application, click on "Add a new avatar" in the Workshop; give it a name (every avatar must have a unique name) and browse to the file(s) on your hard drive. Click ok and the file(s) will be uploaded to UpStage, and you will see the avatar's edit screen. This is where you can select a voice for your avatar (see section 3.7 Speech for more information about the voices available on UpStage and how to add more voices).

If you are creating a new web cam avatar, you will first need to set up your web cam with FTP access to your UpStage server; see Section 5.4 for details and recommended software. Once your image or video stream is ready, follow the link from the Workshop to "Add a new avatar" and find your filename in the drop down list of available video streams. Choose a name for the avatar then click OK.

Go back to the Workshop and follow the link to "Manage Avatars" and you will see a list of the stages, plus "unassigned" – this is where you will find your avatar before you have assigned it to a particular stage. It will also appear in the list of avatars uploaded by you when you are in the "Manage Stages" section, allowing you to assign it to a particular stage. Note that there is no limit to how many stages one avatar or other media can be assigned to.

Manage Avatars

This screen shows the available avatars, grouped according to the stages they have been assigned to, plus an "unassigned" category for avatars that have not yet been assigned to a stage. Click on a stage name or "unassigned" and then on the name of the avatar to go to that avatar's edit screen. Here you can see information about the avatar, and delete unwanted avatars.

Click on the name of the avatar you want to edit. You will see a thumbnail image of the avatar and information about the file, and you can choose from the drop down list of available voices and test voices to see what they sound like.



3.2.4 Uploading and Managing Props

Props function in a similar way to avatars, but they can't speak, and you must be holding an avatar in order to hold a prop. When an avatar is holding a prop, it appears on stage at the top left corner of the avatar. If another player clicks on the same prop, it will appear to be passed to the second player's avatar. Invisible avatars are useful for placing props on the stage, appearing independently of the visible avatars.

Uploading a new prop

Props are created in the same way as avatars, and should be still images in .png or .swf format; see Section 4 for recommendations about creating graphics for UpStage.

From the Workshop, follow the link to "Add a new prop", and navigate to the appropriate file on your hard drive. Choose a name for it and click OK to upload.

Manage Props

This screen shows a list of available props, grouped according to the stages they have been assigned to; you can change the prop name, and delete unwanted props.

3.2.5 Uploading and Managing Backdrops

Uploading a new backdrop

Backdrops can be still images in .jpg, .gif, .png or .swf format. See Section 4.5 for recommendations about creating backdrops for UpStage. From the “Add a new backdrop” link in the Workshop, navigate to the appropriate file on your hard drive. Name it and click OK to upload.

Manage backdrops

This screen shows a list of available backdrops, grouped according to the stages they are assigned to; you can change the backdrop name and delete unwanted backdrops.

Multiframe backdrops

Multiframe backdrops work in the same way as multiframe avatars – see section 4 Graphics for more information about creating multiframe backdrops. To change the frame of a multiframe backdrop on stage, the command is /b 1, /b 2 etc.

3.2.6 Uploading and Managing Audio

You can upload MP3 files and assign them to a stage. Up to three audio tracks can be played at the same time on a stage. Currently, this is restricted to one music file and two sound effects files at the same time.

Uploading a new audio file

From the "Add new audio" link in the Workshop, navigate to your MP3 file on your hard drive. Name it and select either "Sound effect" or "Music" then click OK to upload.

Manage audio

This screen shows the list of audio files that have been uploaded. You can delete files, or click on the file name to edit its information – you can change the name or the type of file (sound effect or music).

3.3 On Stage

The stages look slightly different for players and audience (chatters). The audience see the stage area and the text chat window (see the screengrab in Section 2), different backdrops as the players change them, and the other media that the players manipulate on stage to create the performance. The audience also see and hear the avatars' speech, and can input text into the chat window; in the future we hope to add other interactive functions for the audience.

What the audience doesn't see but the players do, are the stage tools.



The Wardrobe (top right hand corner) is a scrollable list of the avatars assigned to this stage. The Mirror (the square beside the Wardrobe) shows the avatar you are holding, with its name in the rectangle under the mirror. There are tools below the Mirror, and image galleries for backdrops and props along the bottom of the stage area. Players see a smaller text chat window than the audience.

3.4 Holding and Moving an Avatar

The avatars assigned to a stage appear as small icons in the Wardrobe. To hold a particular avatar, click on its icon in the Wardrobe (use the arrows to scroll up and down the Wardrobe). The icon will disappear from your Wardrobe and appear in your Mirror, the square area to the left of the Wardrobe. This shows you which avatar you are currently holding. A greyed-out icon in your Wardrobe means that another player is holding that avatar.


Once you have an avatar in your Mirror, click on the stage area and your full-size avatar will appear there. Click in another place, and it will move there.

3.4.1 Tools

The Player tools are the set of buttons below the mirror, and the green arrows in the mirror. These arrows allow you to move your avatar in front of and behind other avatars on the stage.

Fast/Slow

This button controls the avatar movement – fast causing the avatar to jump to where you click, and slow causing it to glide there. The button shows the action that the avatar will change to when next clicked – for example if your avatar is gliding, the button will show fast. Click on it to change to fast, and the button will become orange and say “slow”.



Stop

When your avatar is gliding (in slow mode), click on stop to stop it at any point in its trajectory.

Name

This button will hide or show your avatar's name on the stage – this is particularly useful when working with invisible avatars. When you first hold an avatar, the default state is for the name to be showing, so click on “name” before you place the avatar on the stage if you don't want the name to show.

Draw/Act

This button changes the function from acting to drawing, displaying the drawing tools palette instead of the avatar tools. See Section 3.10 for more information about drawing.

Drop

The drop button will remove your avatar from the stage, and put it back in the Wardrobe so that you are no longer holding it. If you want to leave your avatar on the stage while you operate another avatar, simply select the new avatar from the Wardrobe without clicking drop.

Clear

Use clear to remove all unheld avatars and props from the stage.

Audio

This button displays the audio tools palette. See Section 3.11 for more information about using audio.

Player/Audience counter

Below the control buttons, a counter keeps a live tally of the number of players (P) and audience (A) present on stage at any time. Typing /details will list the usernames of the players and the number of audience in the chat window.

3.4.2 Operating Multi-frame or Animated Avatars

Avatars that have been created as .swf animations, or uploaded as multiframe avatars, allow you to change the avatar while it is on stage.

Animated Avatars

Created as .swf files, these avatars will animate in the Workshop, Wardrobe and Mirror. When placed on stage, animated sequences will appear as a still image in the first frame of the animation. Type /a 0 to start the looped animation, and to display a different still frame type /a 1 (the default), /a 2, /a 3 etc.


Flash Movieclips will animate on loop without typed-in commands. You need to create these as movies in Flash – see Section 4.4 for more information.

Multi-frame Avatars

These work in a similar way to the animated avatars, but are created by uploading a series of still images (in .png or .jpg format) rather than using Flash.

3.4.3 Changing Your Avatar's Name

To change the name of the avatar you are holding, type /nick newname in the text input field. You will see the name



underneath your mirror change, and when the avatar is on stage the new name will appear below it (unless you have used the “name” button to turn off the name). The new name will also appear in the text chat window when your avatar speaks.

When using invisible avatars, you can make words float around the stage by showing the name, and using /nick to change the visible word on screen. Up to 9 characters will be visible on stage – if you have a longer name it will all be visible in the text chat.

3.4.4 Web cam avatars

A live web cam feed (motion jpeg) can be introduced to the stage by using a web cam avatar. This requires an additional web cam FTP application on the sending computer, and the correct settings to deliver the images to the UpStage server. The web cam avatar is created from the "Add a new avatar" screen, by selecting your video stream from the dropdown menu.

On stage, a web cam avatar operates in the same way as any other avatar – you can move it around the stage, hold props, speak, etc. Depending on the FTP software you are using, you may also be able to adjust the size of the image in real time and add other visual effects.

Please see section 5.4 for more information on web cam avatars including recommended web cam FTP software and how to configure it.

3.5 Holding and Placing Props

The props assigned to the stage appear as small icons in the Props Gallery at the centre bottom of the screen.

When you roll your cursor over the icons, a name label appears, allowing you to distinguish between similar or very small props. If more than 8 props are assigned to a stage, arrows will appear at either end of the bar to allow you to scroll through the props, which are displayed alphabetically.

You must be holding an avatar and be on stage to hold a prop. Click on the prop icon in the Gallery, and it will appear at the top left of your avatar. Click again on the prop icon in the Gallery, and it will remove the prop from your avatar. If another player clicks on the same prop that you are holding, it will be transferred to their avatar.

3.6 Changing Backdrops

The backdrops assigned to a particular stage appear as small icons in the Backdrops Gallery, at the bottom left of your screen.

Roll your cursor over the icons to display the name label so that you can accurately choose the backdrop you want. If more than 8 backdrops are assigned to a stage, arrows will appear at either end of the bar to allow you to scroll through the backdrops, which are displayed alphabetically.



Click once on the icon to place the backdrop onto the stage; click the icon a second time to remove it.

Multiframe backdrops can be used in the same way as normal backdrops; to change the backdrop's frame, type /b 1, /b 2 etc in the text input field. Type /b 0 to make the backdrop animate through its frames.

3.7 Speech and Text Chat

To make your avatar speak, type into the text input field below the Chat window (bottom right of your screen) and hit enter (if there isn't a blinking cursor line there already, you may need to click the mouse there).



Your text will appear with your avatar's name in the text chat window, as well as on the stage beside your avatar (unless you have not put your avatar onto the stage). It will be spoken aloud in the voice selected for that avatar (note that you cannot change an avatar's voice on stage, this must be done in the avatar edit screen from the Workshop).



The audience can also type into the text chat, but their text won't be spoken out loud and only appears in the text chat window, not on the stage. As the audience doesn't log in, there are no names connected to the audience chat. If you aren't holding an avatar, your text will appear as audience text.

You can also make your avatar "think" by typing : (colon) before the text. Your text will appear in a thought bubble over the avatar, but won't be spoken aloud. It will appear in the text chat window in blue and with curly brackets around it.

3.7.1 Avatar Voices

UpStage uses the Festival Speech Synthesiser and MBROLA to generate text2speech audio for the avatars' voices. You can listen to and select from the available voices in the "Manage avatars" screen to change your avatar voice, but note that you cannot change the voice on-stage. See section 5.5 for more information about the voices available and how to create more voices.

3.7.2 Saving the log

The text chat is automatically saved by the server, and can be viewed by adding "/log" to the end of the URL in the address bar of your browser. You can then save it by either selecting "Save as" from your browser's file menu, or by copying and pasting the text into a text editor application.

3.8 Whispering

Players can “whisper” to other logged-in players; this lets you communicate with your fellow players without the audience hearing or seeing it. You can whisper to an individual player, a number of players, or to all logged in players present on the same stage as you. You can also whisper to players on other stages, but you must use their usernames, and there is currently no way to whisper to a player who is in the Workshop.

Typing in a whisper command incorrectly displays a “how to” message in your chat field. If messages are not delivered to users (due to misspelling a username, or a user not currently being online), the whisper “bounces” and informs the sender what went wrong in the chat field.

Commands:

To whisper to a single player, type:

`/wh username1=Message`

To whisper to multiple players, type (NO spaces between usernames):

`/wh username1,username2,username3=Message`

To whisper to all users on the current stage, type:

`/wh *=Message`

Note - `/whisper` works exactly the same as `/wh` but it's obviously easier to just type `/wh`

3.9 / Commands


When you are on stage, there are a number of commands you can type into the text field to do certain things:

/a 1, /a 2 etc	diisplays a different frame of an animated or multiframe avatar
/a 0	animates a multiframe or animated avatar
/asize	/asize followed by a number will adjust the size of the audience text in your chat window (note – this only affects your own screen; the text size will not adjust for the audience or other players); the default size is 4. Audience can also use this command to adjust the size of font in their browser.
/b 1, /b 2 etc	displays a different frame of a multiframe backdrop
/b 0	animates a multiframe backdrop
/details	lists the usernames of all players and the number of audience members who are present on that particular stage.
/help	gives you a list of some of these commands
/info	shows information about UpStage including which version of the software you are using
/nick	allows you to change the name of the avatar you are holding – type /nick newname
/license	provides information about the dual GPL and Creative Commons license
/psize	/psize followed by a number will adjust the size of the player text in your chat window (note – this only affects your own screen, the text size will not adjust for the audience or other players); the default size is 4. Audience can also use this command to adjust the size of font in their browser.
/whisper or /wh	allows you to communicate with other players without the audience being aware; the whisper command is explained in Section 1.5
:	typing ":" before your text will give you a silent thought bubble, rather than a speech bubble and spoken text.

3.10 Drawing

Clicking on the “draw” button in the control panel reveals a different set of player tools – the Drawing Palette. You can be still holding an avatar while you are drawing and can speak, but you won’t be able to move your avatar on stage. Clicking on the “act” button will return the Wardrobe, Mirror and Controls so that you can operate your avatar.

Drawing allows you to draw directly onto the stage, in one of four layers; the layers correspond to the four boxes on the right hand side of the drawing palette. Click on the pencil icon to select a layer to draw in. The black border shows which layer you have selected; a pale blue border indicates that another player is holding that layer. If you select a layer with a blue border you will “steal” it from the other player. The top box will draw on the top layer, obscuring avatars. The next two layers will let you draw amongst the avatars, and the bottom layer draws behind the backdrop.



Click on the eye to hide or show your drawing. Click on "clear" to erase the all the drawing from that layer. Note that it is currently not possible to erase only part of the drawing in a layer.

The slider in the layer box controls transparency: move it to the left and the drawing in that layer will become more transparent; move it all the way to the left and it will vanish completely.

The colour picker at the top has three sliders, letting you adjust the colour of what you’re about to draw. Move the sliders to change the hue, and the new colour appears in the square to the left of the sliders.

The slider immediately below the colour picker controls the transparency of what you are about to draw (use the slider in the layer box to change the transparency of something you’ve already drawn).


The circle and slider below the transparency slider control the size of your pencil. Move the slider to the right and the circle will increase in size, indicating how big it will appear on stage. Move it to the left to make it smaller.

Currently it is not possible to erase, other than to clear everything in a particular layer. If you are trying to draw a curved line and finding that it appears as sections of straight lines, you are moving your mouse faster than UpStage can keep up with; try drawing slower for smoother curves.



3.11 Audio

Click on the yellow "audio" button to reveal the Audio Palette. Audio files assigned to the stage will appear in a list on the right, with musical notes indicating music tracks and "sfx" indicating sound effects. Use the green arrows to scroll up and down if there are more than six tracks assigned to the stage.



Clicking on a track and its file name will appear in one of the three slots, where you can control the volume, start and stop individual tracks. At the moment, you can only play one music track at a time, and up to two sound effects.

You can stop all tracks at the same time using the "stop all" button.

Click on the blue "act" button to return to the avatar tool palette.

4 Graphics Recommendations

4.1 General comments

Avatars, backdrops and props for UpStage can be created using standard graphics applications such as PhotoShop, Fireworks, Gimp and Flash. The recommended formats for your original graphics files are .swf or .png. Vector-based images will appear much cleaner than pixel images (such as .gif and .jpeg), as they are resized to match the dimensions of individual screens and browsers. You can use .gif and .jpg but your images will lose quality.

Avatars and props will appear on stage approximately two to three times larger than the original file. This is because the stage is not in a fixed size window: it allows for different screen resolutions and sizes, and different sizes of browser window. The aspect ratio is 7:3 (see the backdrop diagram in section 4.5).

The recommended size for the original file for a “standard” sized avatar is approximately 100x100 pixels – obviously you will want bigger and smaller ones but this gives you somewhere to start. In order to test the size of your avatar, you must upload it, assign it to a stage, then look at it on that stage (the same applies to props).

It can be a time-consuming process getting your graphics to the size you want, so it's a good idea to make a couple of samples first and then base the rest of your graphics on those once you have got them the size you want (this applies to both props and avatars). If you upload avatars that are not the right size, please remember to delete the unwanted ones, otherwise the Workshop area gets clogged up with unwanted media.

4.2 Creating .pngs

The .png file format is recommended for avatars and props, rather than .gif or .jpg, as it allows for transparency and gives a good quality image. Files can be saved in .png format in most graphics applications. In the File menu, choose "Save As" and look for the .png option. Do NOT interlace the file when you save it.

4.3 Creating .swfs

Although UpStage itself is open source and we've done everything we can to make it cross-everything, it is accessed via the Flash Player plug-in and so far it seems that the most successful graphics format is .swf. To create .swf files, you need the Flash application. (An open source equivalent plug-in, Gnash, has recently become available, but it is a media player browser plug-in, not a graphics application; so far it appears to be unfeasible for using with UpStage as in its current state it is incompatible with many of UpStage's features).

Please note that the following information is by no means a comprehensive Flash tutorial. If you do not know how to use Flash at all, or if the following steps are not clear to you, we recommend that you look on the web for a Flash tutorial.

The basic steps for producing a single frame avatar or prop using Flash is as follows:

- Start with a .png file in which you have clear-cut your image and given it a transparent background. Keep the .png image at maximum size.
- Open Flash and from the File menu, choose Import, navigate to your .png file and import it into Flash.
- Click on the image to select it – a border appears around it.
- In the Insert menu, choose "Convert to symbol" – the border will change to a thin blue line.
- Then resize it (Modify > Transform), remembering that avatars and props will increase in size by about 2-3 times when uploaded into UpStage. Around 100 pixels is a good size to begin with if you don't know what size you want.
- Once you have reduced it to the required size, adjust the document size to match.
- From the File menu, choose Export Image. Uncheck the compress movie option, and put the jpeg quality up to 100%.

4.4 Animated Avatars and Props

UpStage supports both animated sequences and Flash movie clips. When you put sequenced (frame-by-frame, or motion or shape tweened) animation onto the stage it will appear static with the image in the first frame (/a 1). To change to other frames of the animation, type /a 2, /a 3, etc. To make the avatar animate, type /a 0.

Movie clip animation does not need any commands, it will automatically loop and can be used on stage either as a continuously looping animation or as a series of still avatars that are swapped using the /a command, as above.

Props and backdrops can also be animated using Flash. But bear in mind that Flash animations can end up as larger files, which will increase the time it takes to load your stage.

To create an animated sequence, follow these steps:

- First create a series of .png files (as above) and give them numbered filenames.
- Open Flash and from the File menu, choose Import and navigate to the first .png file; Flash will ask if you want to import the series, say yes. This will create a frame for each image.
- Going to each frame in turn, click on the image to select it (a border appears around it), in the Insert menu, choose "Convert to symbol" (the border will

change to a thin blue line) then resize (Modify > Transform), remembering that avatars and props will increase in size by about 2-3 times when uploaded into UpStage.

- Once the images are all reduced to the required size, adjust the document size to match; if your images are not all exactly the same size make sure you have made the document size as big as the largest image.
- From the first frame, and with the image selected (the blue line should appear around it), go to the Insert menu and select “Create motion tween”.
- To check that the tweening has happened, go to the Control menu and hit play – your sequence of images should play.
- From the File menu, choose Export Movie. Uncheck the compress movie option. Put the jpeg quality up to 100%.

Sounds can be embedded into Flash movie clips, but it takes a bit of trickery to be able to control the sound.

When using Flash to create animated avatars and props, be sure to check the the frame rate and whether it is set up to loop. If the frame rate is, for example, 24 fps and it is set to loop, the image will reload 24 times a second, regardless whether anything else is changing on the screen. Making your still flash pictures run at, for example, 1 fps and/or switching off looping will ease the load on everyone’s browser. Very slow animation, for example tweened over 40 or so frames and looping, will cause the least strain and can create some very effective movement.

Once again, this manual does not pretend to provide a comprehensive Flash tutorial. Please look on the web for more detailed information on using Flash.

4.5 Backdrops

As long as the original image is 380x240pp or larger, a backdrop will fill the UpStage screen, including going behind the text chat window. The text chat window has a white background in order to ensure that text is always readable, even over busy backdrops, but this means that the area at the right of your backdrop is covered by the chat window. You may wish to create a backdrop that has a blank area on the right where the text chat window is to ensure that important parts of your backdrop are not hidden behind the chat window.

The proportions of the whole image are:

total width : total height - 10 : 6.2

width of stage area : width of chat area - 7 : 3

minimum width : height – 380 : 240 pixels

This diagram illustrates the proportions of the stage and chat areas (bear in mind that everyone's screen size and browser window size can be different – your backdrop will stretch to fill the space):



Note that in the Player view of the stage, a strip along the bottom of the backdrop will be obscured by the Backdrop and Prop Image Galleries – but as these tools are not seen by the audience, it is recommended that your backdrop extend below that strip.

Backdrops can be created as .png, .swf, .gif or .jpeg; as with avatars and props, .png or .swf will give the best quality results. Note that .png files should NOT be interlaced when saving. If you are using .gif or .jpeg, upload a test backdrop to see if it's going to be good enough, and remember to delete unwanted images.

When creating a series of backdrops for a particular show, it's a good idea to give them filenames that begin with the show name, so that when it comes to assigning them to the stage, they are displayed together in the list. This applies to props and avatars as well.

4.6 File Sizes

File sizes are limited according to your user permissions: superusers can upload up to 2 MB per file, admins can upload up to 1 MB per file; however this is still quite big and in general you should try to keep your files small. The larger the files you upload, and the more graphics assigned to your stage, the slower the stage will load. Performance after loading may also be affected, although so far it seems that the most noticeable impact is during the initial loading of the stage.

What is a “reasonable” file size for your original graphic? This is very hard to say, as it’s completely different for a small static flat graphic prop which may be only 1K, and an animated flash backdrop or multiframe avatar, which could be over 500K. And a stage with a single large graphic may load faster than one with many medium sized graphics.

If your original files are larger than 500K, check whether you can resize them and save them again to a smaller file size. Remember that screen resolution is only 72ppi so there is no need for your originals to be at a higher resolution.

4.7 Deleting Graphics

It is important to delete unwanted graphics in order to keep the workshop area manageable. This is done through the “Manage avatars”, “Manage props” and “Manage backdrops” screens. Check the box beside any images that you want to delete then scroll up or down and click the “delete selected” button.

You can see on these screens whether an image is currently assigned to a stage; if you try to delete an image that is assigned to a stage, UpStage will ask if you are sure that you want to delete it. If multiple groups are using the same server you should not delete anything unless you are sure no-one else is using it (for example your own test graphics that you no longer want).

If you are working on a server that is used by various people, such as the Open UpStage (<http://upstage.org.nz:8084>) please do not delete anything that has been uploaded by someone else.

4.8 On-stage Links

Active hyperlinks can be created by typing a URL into the text chat window, eg <http://www.upstage.org.nz>; you must use right-click or ctrl+click to use the link, and this gives you the option to open the link in a new window, the same window, or to copy the link.

Sometimes it’s useful to have a graphic on-stage that provides a hyperlink to another stage or a different web site. The way to do this is to create a .swf image with an ActionScript button containing the following code:

```
on (release) {  
    getURL("http://desired.url", "_self");  
}
```

This could be an avatar or a prop that is placed on the stage at the time that you want the audience to follow the link.

5 Technical

Upstage is written in Python, using the Twisted framework for event-driven asynchronous networking (twistedmatrix.com). It doesn't require Apache (or MySQL or anything else). The client is written in pure Actionscript, and is compiled using Mtsac (<http://www.mtsac.org/>), so there is no requirement for Macromedia software other than the Flash player plug-in on the client computer. We are investigating Gnash, an open source equivalent to the Flash player, to see if UpStage is compatible with it.

Words typed in by the players are converted into speech using the Festival speech library (festvox.org/festival), eSpeak (<http://espeak.sourceforge.net/>) and MBROLA (<http://tcts.fpms.ac.be/synthesis/mbrola.html>), and streamed to the clients as MP3s.

The server runs on Debian Linux, but should easily convert to other platforms. Python and Twisted are cross-platform, but there is a line or two of shell scripts that tie in the speech synthesis.

The software has been worked on since June 2003 and contains some 8000 lines.

5.1 Client Hardware & Software Requirements

5.1.1 Hardware

If your computer has a browser with the Flash player plug-in, then you already have everything you need. Obviously faster processors and higher RAM give improved performance, but UpStage has been designed to work on relatively low-spec client machines.

A broadband internet connection will give the best performance, but UpStage performs surprisingly well over dial-up. The main disadvantage when using dial-up is that the load time for each stage is longer. You may need to allow up to 15 minutes to load a stage, depending on how many graphics are on it. Once it's loaded, the real-time interaction and overall performance of UpStage is not dramatically worse on dial-up than on broadband.

5.1.2 Software

UpStage has been designed to run on a wide range of clients using the Macromedia Flash Player plug-in (version 7 or above).

Linux users may need to install gsfonts and gsfonts-x11 (see Section 5.6.4)

5.2 Firewalls

UpStage will function through most but not all firewalls, depending on how the firewall has been set up.

If you install your own UpStage server, it will ask you to specify which ports you want to use (the defaults are 8081 and 7230). You will need to ensure that your users have the correct ports open.

The Open UpStage server (<http://upstage.org.nz:8084>) uses ports 8084 and 7233 – therefore these ports need to be open if you are trying to access this server through a firewall. These ports are open by default in most private internet connections, but some organisational networks will close any “unnecessary” ports.

5.3 Downloading and Installing the Server Software

UpStage is an opensource project, registered with SourceForge and licenced under the Creative Commons Attribution-NonCommercial-ShareAlike 2.5 License and Gnu Public Licence (GPL).

To download the latest version, go to: <https://sourceforge.net/projects/upstage/>

You will need to install additional packages, including python, twisted, festival, festvox voices, netpbm, gif2png, timeout, lame, swftools, rsynth and mbrola. Some of these are not available as official Debian packages. Please read the INSTALL file for more information; and join the developers’ list if you wish to communicate with other UpStage users on technical matters: <http://lists.sourceforge.net/lists/listinfo/upstage-list>

Upstage runs as its own web server, which runs by default on ports 8081 (you will be asked to choose a port when you install it). If you have Apache on your machine, you can use ProxyPassReverse or mod_rewrite to treat it as a virtual host. Otherwise you can map port 80 to 8081 with iptables or similar, or just include :8081 in the urls.

Upstage should be run as an unprivileged user.

Please note that technical documentation of UpStage is ongoing. If you are installing UpStage yourself you may wish to comment on and contribute to this – please join the email list for UpStage developers: <http://lists.sourceforge.net/lists/listinfo/upstage-list>

5.3.1 Customising UpStage

Once you have installed UpStage on your own server, you can customise it to suit your own projects.

The Foyer and Workshop screens can be easily customised by editing the HTML code. You can add your own titles, images and logos, change colours and create links from the Foyer to specific stages at performance times.

To modify the client itself, you need an actionscript compiler – the one we are currently using is Mtsac (<http://www.mtsac.org/>) – note that you do **NOT** need this for the standard installation and use of UpStage.

5.4 Web cams

Players wanting to use live video in UpStage will need to have a web cam and a separate application that allows the player to FTP their video to the server as motion JPEGs.

5.4.1 Recommended Web Cam FTP Software

FTP freeware or shareware is available for the major operating systems. Theoretically any web cam FTP application should work, however the following software has been researched and tested during the development of UpStage. Please note that this is by no means all the available software, and as time passes there will be more and better options.

The main features that we have looked for in web cam FTP applications are:

- ease of use;
- free or cheap, with no advertising on the image;
- the ability to resize the web cam image to custom sizes;
- any special effects features are a bonus.

5.4.2 Recommended Software for Windows Operating Systems

Fwink

At the time of writing, we are testing Fwink (version 0.9.95 beta) on Windows. It's free, has no ads and allows customised sizing.

“Fwink is a free and open source web cam application for Windows. It takes still images from your camera at timed intervals and puts them on your web site with FTP. You can add effects like text messages, time stamps and an overlay image.”

<http://lundie.ca/fwink/>

5.4.3 Recommended Software for Macintosh

Oculus

Oculus (version 3.1X at the time of writing) works on both Mac OSX and OS9 and earlier; it's free to try, cheap to buy, and has some pretty nifty features. The free trial period is unlimited, and registering unlocks further features.

“Oculus is a Webcam software that has been enhanced to include motion detection, time-lapsed movie creation, and remote image and movie cycling. It has flexible captioning options, including an unlimited amount of translucent text and pictures. It has options to transmit an image to a remote FTP site or to save a file locally if you have a Web server running on your video capture machine. You also can add captions.”

<http://www.intlweb.com>

5.4.4 Recommended Software for Linux

WebcamD

“WebcamD can :

- Take pics every X seconds
- Add date & hour on pictures, with or without border
- Make HTML page for it
- Stop camera, putting an offline webpage
- To take a pics when you want if the daemon is running
- Upload pics by ftp on a remote server or create local file if a local web server is running
- Customise HTML templates easily
- Configure the programme easily with a small and simple configuration file”

http://webcamd.tuxfamily.org/index_en.html

5.4.5 Web Cam FTP Configuration

Once you have chosen and installed the appropriate web cam software, you will need to configure it to send the web cam images to your UpStage server. Following are the settings you will need:

Host: URL of your UpStage server
username: (set by your UpStage administrator)
password: (set by your UpStage administrator)
filepath: filename.jpg
Port 21 (or other, set by your UpStage administrator)

Before you begin to upload your web cam image to UpStage, check the pixel size, bearing in mind that images increase in size when they are uploaded as avatars to UpStage. If it is 160 x 120 or larger, it will take up half the stage or more and affect the speed and performance of UpStage for everyone. We strongly recommend using a web cam FTP application that allows you to scale your image to any size.

You will need to set a trigger that tells the application how often to take a new image; we recommend 2-3 seconds, as any faster is likely to be faster than the image can travel from your computer to the server and out to the other players and audience.

Once you have configured your web cam and are sending a live stream to your UpStage server, you should be able to find the filename of your web cam stream in the list of available video streams in the "Add a new avatar" section of the workshop. You can then create an avatar using that stream, and assign it to a stage in the "Manage stages" section. Use it on the stage as you would a normal avatar.

5.5 Speech

UpStage's speech is generated by the Festival Speech Synthesiser, developed at the Centre for Speech Technology Research at Edinburgh University (<http://www.cstr.ed.ac.uk/projects/festival/>).

An avatar's voice is selected from a dropdown menu when adding a new avatar and changed in the "Manage avatars" section (see section 3.2.3). There are currently about 100 voices on the UpStage server (<http://upstage.org.nz:8084>); if you are setting up your own UpStage server, please see the technical documentation regarding installing voices.

5.5.1 Voices currently available on UpStage

The voices currently available with UpStage have a filenames system that describes what kind of voice each one is. Some of the voices speak English in a foreign accent, some speak English in various English accents, and some are designed to speak other languages. The software defaults to a male voice, but we have endeavoured to make female versions of most voices.

The format is: ["e" or "emb"] _ [native language] - [en] - [modifications]

For example:

e_de – speaks and reads German

e_en – speaks and reads English

e_en-fast-f1 – speaks English quickly, in a female voice

e_en-wm – speaks english in a west midland accent.

Other accents in the e_en series are "n" for north, "sc" for Scots, "rp" for RP, "r" for rhotic (which means it pronounces the r in words like church).

emb_af1 – speaks and reads Afrikaans

emb_af1-en – speaks English in an Afrikaans accent

emb_de4-en-low-slow – speaks english, lowly and slowly, in a german accent

(Note – we are currently compiling a list of all the voices with descriptions, which will ultimately be included in this manual).

You can test the voices on the Avatar Edit screen, by selecting different voices from the drop down menu and entering the text you want to test.

5.5.2 Adding more voices

You can install additional speech plug-ins on your own server to extend the range of voices available to the avatars. As long as you don't mind messing around with the sourcecode a little bit it's not difficult – Patricia Jung explains how she did it (for Linux, using UpStage V1):

Just add another entry in the VOICES section in Upstage/upstage/voices.py like:

```
#txt2pho/mbrola:
'de1': ("| /usr/local/mbrola/pipefilt | /usr/local/mbrola/preproc
/usr/local/mbrola/Hadifix.abk /usr/local/mbrola/Rules.lst |
/usr/local/mbrola/txt2pho -p /usr/local/mbrola/data/ | /usr/local/mbrola/mbrola
/usr/local/mbrola/de1/de1 - -",
      _fest),
```

I know, it looks awful but this is only because the command is an awful chain consisting of four commands with a couple of options each and the relevant path:

```
"| pipefilt ...| preproc ... | txt2pho ... | mbrola ..."
```

It does some preprocessing (like exchanging all appearances of "z.B." with "zum Beispiel"), then hands the resulting text over to txt2pho and to mbrola.

As long as your command or command chain takes text input from the standard input and outputs the result as sound in raw format on the standard output chain (Unix stuff, ask me if you haven't heard about it) you can put whatever you like in between the "|" and the ".

The above mentioned awful command chain will work when one has installed the txt2pho frontend; it uses the de1 female mbrola voice, and you can choose it in the web interface using the name de1.

The only problem with this kind of reconfiguration is: As config.py isn't a nice configuration file but a python script one needs to know at least that python is very picky about vertical alignment: It's extremely important that your new voice entries have the same amount of whitespaces at the beginning of the line as the other voice entries.

The reason it took me so long was TTS: I failed completely and utterly in making the German festival extensions for use with mbrola voices:

http://www.ims.uni-stuttgart.de/phonetik/synthesis/festival_opensource.html

work. Then I tried txt2pho with mbrola:

<http://www.ikp.uni-bonn.de/dt/forsch/phonetik/hadifix/HADIFIXforMBROLA.html>

(http://bogmog.sourceforge.net/document_show.php3?doc_id=34 has a nice installation description), ignoring festival, and this worked at once.

5.6 Troubleshooting

5.6.1 Browser Problems

We are constantly monitoring browser compatibility, so if you experience problems connected to your choice of browser, please email info@upstage.org.nz.

If you are having browser problems, we recommend the following:

- ensure that you have at least version 7 of the Flash player installed (Note that as of April 2008 we have become aware of an issue with the latest version of Flash, version 9.0.124.0. Until we have a work-around for this we can only recommend that you revert to version 9.0.115.0.);
- close the browser window, open a new window and log in again. If you still have problems after doing this, quit the browser application and restart it.

5.6.2 Stage Won't Load

If the stage fails to load properly, and the splash screen remains over the stage with the message “Couldn't load all images”, this could mean that there is a corrupted image assigned to the stage.

The first thing to do is try reloading, as it could just have been a blip in the data flow; either use the “reload” button on the splash screen, or use the back button in your browser to return to where you can from and click on the link to the stage again.

If this doesn't work, you may need to remove a rogue image from the stage. If you had just assigned a new image to the stage before you encountered this problem, then that is most likely to be that one that's causing the problem. Try unassigning that image from the stage, and see if it will load.

If you don't know which image it is, you may need to take everything off the stage and reassign them one by one or alternatively, delete the stage and make a new one.

5.6.3 Fonts look bad

If an .swf file has been saved as low quality (in the original file), it can force the whole stage to appear “low quality”. This can be changed by right-clicking (on a Mac, ctrl+click) on the stage, and selecting “Quality” from the menu that appears. If Low is selected, change it to High and you will see that the fonts now display properly.

However, this will only correct the problem on your machine; your audience may not know how to change the quality. A better solution is to work out which image is causing the problem, delete it and resave the original file as high quality.

5.6.4 Linux Fonts

If you are using UpStage on Linux you may find that fonts are not appearing on stage. This problem is fixed by installing additional packages:

- apt-get install gsfonts gsfonts-x11
- and
`http://www.macromedia.com/shockwave/download/download.cgi?P1_Prod_Version=ShockwaveFlash&P2_Platform=Linux&P3_Browser_Version=Netscape4`
untar/gzip
- close all browsers, run the installer (see installation instructions on the url above)

5.6.5 Other problems

UpStage is a work in progress, and it is an open source development. We use SourceForge to track bugs – please visit <http://sourceforge.net/projects/upstage/> to see what bugs and features we are currently working on.

The UpStage web site – www.upstage.org.nz – has FAQs and notification of any immediate or temporary problems. Please check there if you are experiencing problems.

If you have any other problems, please email info@upstage.org.nz and we will endeavour to answer your questions and solve any bugs.